

STYLE 2004

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2004	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	0.4
THICKNESS	
MILS	4.8
GRAB TENSILE	
LBS.	(MD x XD)
	8.5 x 6.5
TRAP TEAR	
LBS.	(MD x XD)
	2.5 x 3.0
TEXTTEST AIR PERM	
CFM/FT²	1526

Metric Units	
STYLE	
2004	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	13.6
THICKNESS	
MM	0.12
GRAB TENSILE	
N	(MD x XD)
	37.8 x 28.9
TRAP TEAR	
N	(MD x XD)
	11 x 13
TEXTTEST AIR PERM	
L/M²/S	7754

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2006

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2006	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	0.6
THICKNESS	
MILS	7.4
GRAB TENSILE	
LBS. (MD x XD)	10.1 x 7.7
TRAP TEAR	
LBS. (MD x XD)	4.3 x 5.1
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
2006	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	20.4
THICKNESS	
MM	0.19
GRAB TENSILE	
N (MD x XD)	44.9 x 34.3
TRAP TEAR	
N (MD x XD)	19 x 23
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2011

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2011	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	0.8
THICKNESS	
MILS	8.7
GRAB TENSILE	
LBS. (MD x XD)	14.0 x 10.8
TRAP TEAR	
LBS. (MD x XD)	5.2 x 6.3
TEXTTEST AIR PERM	
CFM/FT²	1112

Metric Units	
STYLE	
2011	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	25.5
THICKNESS	
MM	0.22
GRAB TENSILE	
N (MD x XD)	62.3 x 48
TRAP TEAR	
N (MD x XD)	23 x 28
TEXTTEST AIR PERM	
L/M²/S	5650

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2014

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2014	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	1.0
THICKNESS	
MILS	9.4
GRAB TENSILE	
LBS. (MD x XD)	21 x 17
TRAP TEAR	
LBS. (MD x XD)	5.5 x 6.7
TEXTTEST AIR PERM	
CFM/FT²	870

Metric Units	
STYLE	
2014	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	34.0
THICKNESS	
MM	0.24
GRAB TENSILE	
N (MD x XD)	93.4 x 75.6
TRAP TEAR	
N (MD x XD)	24 x 29
TEXTTEST AIR PERM	
L/M²/S	4420

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2016

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2016	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	1.4
THICKNESS	
MILS	10.4
GRAB TENSILE	
LBS. (MD x XD)	32 x 25
TRAP TEAR	
LBS. (MD x XD)	7 x 9
TEXTTEST AIR PERM	
CFM/FT²	548

Metric Units	
STYLE	
2016	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	45.9
THICKNESS	
MM	0.26
GRAB TENSILE	
N (MD x XD)	142.4 x 111.2
TRAP TEAR	
N (MD x XD)	31 x 40
TEXTTEST AIR PERM	
L/M²/S	2784

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2024

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2024	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	2.1
THICKNESS	
MILS	12.1
GRAB TENSILE	
LBS. (MD x XD)	61.5 x 47
TRAP TEAR	
LBS. (MD x XD)	NA
TEXTTEST AIR PERM	
CFM/FT²	320

Metric Units	
STYLE	
2024	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	71.4
THICKNESS	
MM	0.31
GRAB TENSILE	
N (MD x XD)	273.6 x 209.1
TRAP TEAR	
N (MD x XD)	NA
TEXTTEST AIR PERM	
L/M²/S	1626

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2030

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2030	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	2.4
THICKNESS	
MILS	13.3
GRAB TENSILE	
LBS. (MD x XD)	65 x 48
TRAP TEAR	
LBS. (MD x XD)	NA
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
2030	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	79.9
THICKNESS	
MM	0.34
GRAB TENSILE	
N (MD x XD)	289.1 x 213.5
TRAP TEAR	
N (MD x XD)	NA
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2033

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2033	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	3.0
THICKNESS	
MILS	16.5
GRAB TENSILE	
LBS.	(MD x XD)
	86 x 79
TRAP TEAR	
LBS.	(MD x XD)
	NA
TEXTTEST AIR PERM	
CFM/FT²	256

Metric Units	
STYLE	
2033	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	100.3
THICKNESS	
MM	0.42
GRAB TENSILE	
N	(MD x XD)
	382.5 x 351.4
TRAP TEAR	
N	(MD x XD)
	NA
TEXTTEST AIR PERM	
L/M²/S	1300

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2040

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2040	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	4.0
THICKNESS	
MILS	20.0
GRAB TENSILE	
LBS.	(MD x XD)
	125 x 100
TRAP TEAR	
LBS.	(MD x XD)
	NA
TEXTTEST AIR PERM	
CFM/FT²	184

Metric Units	
STYLE	
2040	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	136.0
THICKNESS	
MM	0.51
GRAB TENSILE	
N	(MD x XD)
	556 x 444.8
TRAP TEAR	
N	(MD x XD)
	NA
TEXTTEST AIR PERM	
L/M²/S	935

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2055W

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2055W	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	0.6
THICKNESS	
MILS	7.3
GRAB TENSILE	
LBS. (MD x XD)	10.6 x 7.4
TRAP TEAR	
LBS. (MD x XD)	3.3 x 3.7
TEXTTEST AIR PERM	
CFM/FT²	1418

Metric Units	
STYLE	
2055W	
DESCRIPTION	
REEMAY® WHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	18.7
THICKNESS	
MM	0.19
GRAB TENSILE	
N (MD x XD)	47.2 x 32.9
TRAP TEAR	
N (MD x XD)	14 x 16
TEXTTEST AIR PERM	
L/M²/S	7205

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2200

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2200	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
OSY	1.1
THICKNESS	
MILS	7.5
GRAB TENSILE	
LBS. (MD x XD)	21.5 x 19.8
TRAP TEAR	
LBS. (MD x XD)	NA
TEXTTEST AIR PERM	
CFM/FT²	665

Metric Units	
STYLE	
2200	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
GSM	35.7
THICKNESS	
MM	0.19
GRAB TENSILE	
N (MD x XD)	95.6 x 88.1
TRAP TEAR	
N (MD x XD)	NA
TEXTTEST AIR PERM	
L/M²/S	3379

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2214

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2214	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
OSY 1.4	
THICKNESS	
MILS 9.0	
GRAB TENSILE	
LBS. (MD x XD) 31.8 x 30	
TRAP TEAR	
LBS. (MD x XD) NA	
TEXTTEST AIR PERM	
CFM/FT² 518	

Metric Units	
STYLE	
2214	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
GSM 45.9	
THICKNESS	
MM 0.23	
GRAB TENSILE	
N (MD x XD) 141.5 x 133.4	
TRAP TEAR	
N (MD x XD) NA	
TEXTTEST AIR PERM	
L/M²/S 2632	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2250

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2250	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
OSY	0.5
THICKNESS	
MILS	4.7
GRAB TENSILE	
LBS.	(MD x XD)
	10.7 x 7.4
TRAP TEAR	
LBS.	(MD x XD)
	NA
TEXTTEST AIR PERM	
CFM/FT²	1307

Metric Units	
STYLE	
2250	
DESCRIPTION	
REEMAY®	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
GSM	17.0
THICKNESS	
MM	0.12
GRAB TENSILE	
N	(MD x XD)
	47.6 x 32.9
TRAP TEAR	
N	(MD x XD)
	NA
TEXTTEST AIR PERM	
L/M²/S	6641

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2275

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2275	
DESCRIPTION	
REEMAY® NWHT	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
OSY	0.8
THICKNESS	
MILS	6.1
GRAB TENSILE	
LBS. (MD x XD)	15.2 x 13.9
TRAP TEAR	
LBS. (MD x XD)	NA
TEXTTEST AIR PERM	
CFM/FT²	925

Metric Units	
STYLE	
2275	
DESCRIPTION	
REEMAY® NWHT	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
GSM	25.5
THICKNESS	
MM	0.15
GRAB TENSILE	
N (MD x XD)	67.6 x 61.8
TRAP TEAR	
N (MD x XD)	NA
TEXTTEST AIR PERM	
L/M²/S	4700

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 2817

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY®

English Units	
STYLE	
2817	
DESCRIPTION	
REEMAY® NWHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
OSY	1.5
THICKNESS	
MILS	13.0
GRAB TENSILE	
LBS. (MD x XD)	16 x 10
TRAP TEAR	
LBS. (MD x XD)	NA
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
2817	
DESCRIPTION	
REEMAY® NWHT	
FILAMENT CROSS SECTION	
TRILOBAL, 4.0 DPF	
BASIS WEIGHT	
GSM	51.0
THICKNESS	
MM	0.33
GRAB TENSILE	
N (MD x XD)	71.2 x 44.5
TRAP TEAR	
N (MD x XD)	NA
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 6110

Fiberweb® — Filtration Business

70 Old Hickory Blvd. • Old Hickory, TN 37138 USA

Phone: 615-847-7000 • Fax: 615-847-7068

www.FiberwebFiltration.com

REEMAY® SYNERGEX

English Units
STYLE
6110
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
OSY
1
THICKNESS
MILS
5.5
GRAB TENSILE
LBS.
(MD x XD)
27 x 17
TEXTTEST AIR PERM
CFM/FT²
584

Metric Units
STYLE
6110
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
GSM
34
THICKNESS
MM
0.14
GRAB TENSILE
N
(MD x XD)
120 x 76
TEXTTEST AIR PERM
L/M²/S
2967

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 6125

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY® SYNERGEX

English Units	
STYLE	
6125	
DESCRIPTION	
REEMAY® SYNERGEX	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
OSY	2.5
THICKNESS	
MILS	10.0
GRAB TENSILE	
LBS.	(MD x XD)
	80 x 60
TEXTTEST AIR PERM	
CFM/FT²	166

Metric Units	
STYLE	
6125	
DESCRIPTION	
REEMAY® SYNERGEX	
FILAMENT CROSS SECTION	
ROUND, 2.2 DPF	
BASIS WEIGHT	
GSM	85
THICKNESS	
MM	0.25
GRAB TENSILE	
N	(MD x XD)
	356 x 267
TEXTTEST AIR PERM	
L/M²/S	843

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 6130

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY® SYNERGEX

English Units
STYLE
6130
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
OSY
3
THICKNESS
MILS
12.7
GRAB TENSILE
LBS.
(MD x XD)
105 x 75
TEXTTEST AIR PERM
CFM/FT²
130

Metric Units
STYLE
6130
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
GSM
102
THICKNESS
MM
0.32
GRAB TENSILE
N
(MD x XD)
467 x 334
TEXTTEST AIR PERM
L/M²/S
661

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 6140

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

REEMAY® SYNERGEX

English Units
STYLE
6140
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
OSY
4
THICKNESS
MILS
14.2
GRAB TENSILE
LBS.
(MD x XD)
135 x 112
TEXTTEST AIR PERM
CFM/FT²
80

Metric Units
STYLE
6140
DESCRIPTION
REEMAY® SYNERGEX
FILAMENT CROSS SECTION
ROUND, 2.2 DPF
BASIS WEIGHT
GSM
136
THICKNESS
MM
0.36
GRAB TENSILE
N
(MD x XD)
600 x 498
TEXTTEST AIR PERM
L/M²/S
406

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3091L

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3091L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
OSY 0.93	
THICKNESS	
MILS 8.0	
GRAB TENSILE	
LBS. (MD x XD) 20 x 15	
TRAP TEAR	
LBS. (MD x XD) 6.5 x 5.5	
TEXTTEST AIR PERM	
CFM/FT² 650	

Metric Units	
STYLE	
3091L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
GSM 31.6	
THICKNESS	
MM 0.20	
GRAB TENSILE	
N (MD x XD) 89 x 67	
TRAP TEAR	
N (MD x XD) 29 x 25	
TEXTTEST AIR PERM	
L/M²/S 3237	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3121B

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3121B	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 7.7 DPF	
BASIS WEIGHT	
OSY	1.25
THICKNESS	
MILS	NA
GRAB TENSILE	
LBS.	(MD x XD)
	53 x 48
TRAP TEAR	
LBS.	(MD x XD)
	28 x 24
TEXTTEST AIR PERM	
CFM/FT²	637

Metric Units	
STYLE	
3121B	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 7.7 DPF	
BASIS WEIGHT	
GSM	42.5
THICKNESS	
MM	NA
GRAB TENSILE	
N	(MD x XD)
	235 x 213
TRAP TEAR	
N	(MD x XD)
	125 x 108
TEXTTEST AIR PERM	
L/M²/S	2007

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3121L

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3121L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
OSY	1.25
THICKNESS	
MILS	9.0
GRAB TENSILE	
LBS.	(MD x XD)
	32 x 28
TRAP TEAR	
LBS.	(MD x XD)
	12 x 9
TEXTTEST AIR PERM	
CFM/FT²	395

Metric Units	
STYLE	
3121L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
GSM	42.5
THICKNESS	
MM	0.23
GRAB TENSILE	
N	(MD x XD)
	145 x 125
TRAP TEAR	
N	(MD x XD)
	54 x 40
TEXTTEST AIR PERM	
L/M²/S	3221

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3121N

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3121N	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 7.7 DPF	
BASIS WEIGHT	
OSY	1.25
THICKNESS	
MILS	9.5
GRAB TENSILE	
LBS.	(MD x XD)
	53 x 48
TRAP TEAR	
LBS.	(MD x XD)
	28 x 24
TEXTTEST AIR PERM	
CFM/FT²	634

Metric Units	
STYLE	
3121N	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 7.7 DPF	
BASIS WEIGHT	
GSM	42.5
THICKNESS	
MM	0.24
GRAB TENSILE	
N	(MD x XD)
	236 x 214
TRAP TEAR	
N	(MD x XD)
	125 x 108
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3141C

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3141C	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 8.8 DPF	
BASIS WEIGHT	
OSY	1.4
THICKNESS	
MILS	NA
GRAB TENSILE	
LBS. (MD x XD)	62 x 53
TRAP TEAR	
LBS. (MD x XD)	30 x 25
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
3141C	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 8.8 DPF	
BASIS WEIGHT	
GSM	47.6
THICKNESS	
MM	NA
GRAB TENSILE	
N (MD x XD)	275 x 236
TRAP TEAR	
N (MD x XD)	134 x 112
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3151B

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3151B	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
OSY	1.6
THICKNESS	
MILS	NA
GRAB TENSILE	
LBS. (MD x XD)	66 x 62
TRAP TEAR	
LBS. (MD x XD)	33 x 29
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
3151B	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
GSM	54.4
THICKNESS	
MM	NA
GRAB TENSILE	
N (MD x XD)	294 x 276
TRAP TEAR	
N (MD x XD)	148 x 130
TEXTTEST AIR PERM	
L/M²/S	2922

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3151C

Fiberweb® — Filtration Business

70 Old Hickory Blvd. • Old Hickory, TN 37138 USA

Phone: 615-847-7000 • Fax: 615-847-7068

www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3151C	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
OSY	1.6
THICKNESS	
MILS	11.6
GRAB TENSILE	
LBS. (MD x XD)	47 x 45
TRAP TEAR	
LBS. (MD x XD)	23 x 23
TEXTTEST AIR PERM	
CFM/FT²	575

Metric Units	
STYLE	
3151C	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
GSM	54.4
THICKNESS	
MM	0.29
GRAB TENSILE	
N (MD x XD)	209 x 200
TRAP TEAR	
N (MD x XD)	103 x 103
TEXTTEST AIR PERM	
L/M²/S	1270

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3161L

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units
STYLE
3161L
DESCRIPTION
TYPAR®
FILAMENT CROSS SECTION
ROUND, 4.0 DPF
BASIS WEIGHT
OSY 1.6
THICKNESS
MILS NA
GRAB TENSILE
LBS. (MD x XD) 42 x 22
TRAP TEAR
LBS. (MD x XD) 12 x 10
TEXTTEST AIR PERM
CFM/FT² 250

Metric Units
STYLE
3161L
DESCRIPTION
TYPAR®
FILAMENT CROSS SECTION
ROUND, 4.0 DPF
BASIS WEIGHT
GSM 54.4
THICKNESS
MM NA
GRAB TENSILE
N (MD x XD) 187 x 97
TRAP TEAR
N (MD x XD) 54 x 45
TEXTTEST AIR PERM
L/M²/S NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3201A

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3201A	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
OSY 1.9	
THICKNESS	
MILS NA	
GRAB TENSILE	
LBS. (MD x XD) 79 x 74	
TRAP TEAR	
LBS. (MD x XD) 36 x 34	
TEXTTEST AIR PERM	
CFM/FT² NA	

Metric Units	
STYLE	
3201A	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
GSM 64.6	
THICKNESS	
MM NA	
GRAB TENSILE	
N (MD x XD) 351 x 329	
TRAP TEAR	
N (MD x XD) 161 x 152	
TEXTTEST AIR PERM	
L/M²/S 813	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3301Y

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3301Y	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
OSY	3
THICKNESS	
MILS	NA
GRAB TENSILE	
LBS.	(MD x XD)
	133 x 135
TRAP TEAR	
LBS.	(MD x XD)
	50 x 50
TEXTTEST AIR PERM	
CFM/FT²	160

Metric Units	
STYLE	
3301Y	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
GSM	102.0
THICKNESS	
MM	NA
GRAB TENSILE	
N	(MD x XD)
	592 x 600
TRAP TEAR	
N	(MD x XD)
	224 x 224
TEXTTEST AIR PERM	
L/M²/S	NA

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3401G

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3401G	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10/20 DPF	
BASIS WEIGHT	
OSY 4	
THICKNESS	
MILS NA	
GRAB TENSILE	
LBS. (MD x XD) 148 x 160	
TRAP TEAR	
LBS. (MD x XD) 75 x 78	
TEXTTEST AIR PERM	
CFM/FT² NA	

Metric Units	
STYLE	
3401G	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10/20 DPF	
BASIS WEIGHT	
GSM 136.0	
THICKNESS	
MM NA	
GRAB TENSILE	
N (MD x XD) 658 x 712	
TRAP TEAR	
N (MD x XD) 336 x 349	
TEXTTEST AIR PERM	
L/M²/S NA	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3401N

Fiberweb® — Filtration Business

70 Old Hickory Blvd. • Old Hickory, TN 37138 USA

Phone: 615-847-7000 • Fax: 615-847-7068

www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3401N	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10/20 DPF	
BASIS WEIGHT	
OSY	
4	
THICKNESS	
MILS	
NA	
GRAB TENSILE	
LBS.	
(MD x XD)	
148 x 160	
TRAP TEAR	
LBS.	
(MD x XD)	
73 x 78	
TEXTTEST AIR PERM	
CFM/FT²	
NA	

Metric Units	
STYLE	
3401N	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 10/20 DPF	
BASIS WEIGHT	
GSM	
136	
THICKNESS	
MM	
NA	
GRAB TENSILE	
N	
(MD x XD)	
658 x 712	
TRAP TEAR	
N	
(MD x XD)	
327 x 349	
TEXTTEST AIR PERM	
L/M²/S	
168	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3409L

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units
STYLE
3409L
DESCRIPTION
TYPAR®
FILAMENT CROSS SECTION
ROUND, 4.0 DPF
BASIS WEIGHT
OSY 4
THICKNESS
MILS NA
GRAB TENSILE
LBS. (MD x XD) 120 x 80
TRAP TEAR
LBS. (MD x XD) 35 x 20
TEXTTEST AIR PERM
CFM/FT² 33

Metric Units
STYLE
3409L
DESCRIPTION
TYPAR®
FILAMENT CROSS SECTION
ROUND, 4.0 DPF
BASIS WEIGHT
GSM 136
THICKNESS
MM NA
GRAB TENSILE
N (MD x XD) 534 x 356
TRAP TEAR
N (MD x XD) 157 x 89
TEXTTEST AIR PERM
L/M²/S 65

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3609L

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3609L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
OSY 6	
THICKNESS	
MILS 20.0	
GRAB TENSILE	
LBS. (MD x XD) 170 x 110	
TRAP TEAR	
LBS. (MD x XD) 60 x 35	
TEXTTEST AIR PERM	
CFM/FT² 13	

Metric Units	
STYLE	
3609L	
DESCRIPTION	
TYPAR®	
FILAMENT CROSS SECTION	
ROUND, 4.0 DPF	
BASIS WEIGHT	
GSM 204.0	
THICKNESS	
MM 0.51	
GRAB TENSILE	
N (MD x XD) 756 x 489	
TRAP TEAR	
N (MD x XD) 269 x 157	
TEXTTEST AIR PERM	
L/M²/S NA	

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.

STYLE 3801C

Fiberweb® — Filtration Business
 70 Old Hickory Blvd. • Old Hickory, TN 37138 USA
 Phone: 615-847-7000 • Fax: 615-847-7068
www.FiberwebFiltration.com

TYPAR®

English Units	
STYLE	
3801C	
DESCRIPTION	
TYPAR® NAT	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
OSY	8
THICKNESS	
MILS	NA
GRAB TENSILE	
LBS. (MD x XD)	350 x 356
TRAP TEAR	
LBS. (MD x XD)	97 x 87
TEXTTEST AIR PERM	
CFM/FT²	NA

Metric Units	
STYLE	
3801C	
DESCRIPTION	
TYPAR® NAT	
FILAMENT CROSS SECTION	
ROUND, 10 DPF	
BASIS WEIGHT	
GSM	272.0
THICKNESS	
MM	NA
GRAB TENSILE	
N (MD x XD)	1556 x 1583
TRAP TEAR	
N (MD x XD)	435 x 390
TEXTTEST AIR PERM	
L/M²/S	0

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and Fiberweb®, Inc. assumes no liability for product failure other than to supply replacement material for Fiberweb, Inc. products shown to be defective when delivered. Except as stated above, there are no warranties expressed or implied on merchantability, fitness or use, or otherwise. Fiberweb, Inc. shall not be liable for special, incidental and consequential damages. No statement contained herein shall be construed as an inducement to infringe existing patents or an endorsement of products of specific manufacture.